

STRIP PATTERN NOZZLES

Radius: Variable / Fixed

Irrigate narrow turf and planter areas accurately with fixed arc strip nozzles.







Key Benefits

- Designed for accurate coverage of strip areas
- Available in a variety of models for unique, rectangular spaces
- Built to last in harsh conditions







Operating Specifications

- Recommended operating pressure: 30 PSI
- Pair with Pro-Spray PRS30 pop-up for pressure regulation to 30 PSI
- Warranty period: 2 years



Model	Description
LCS-515	Left Corner Strip Rectangle: 5' x 15' 
RCS-515	Right Corner Strip Rectangle: 5' x 15' 
SS-530	Side Strip Rectangle: 5' x 30' 
SS-918	Side Strip Rectangle: 9' x 18' 
ES-515	End Strip Rectangle: 5' x 15' 
CS-530	Center Strip Rectangle: 5' x 30' 

STRIP PATTERN NOZZLES PERFORMANCE DATA

Arc	Pressure	Width x Length	Flow
	PSI	ft	GPM
LCS-515 Left Corner Strip 	20	4' x 14'	0.55
	25	5' x 15'	0.60
	30	5' x 15'	0.65
	35	5' x 15'	0.70
	40	5' x 15'	0.75
RCS-515 Right Corner Strip 	20	4' x 14'	0.55
	25	5' x 15'	0.60
	30	5' x 15'	0.65
	35	5' x 15'	0.70
	40	5' x 15'	0.75
SS-530 Side Strip 	20	4' x 28'	1.10
	25	5' x 30'	1.20
	30	5' x 30'	1.30
	35	5' x 30'	1.40
	40	5' x 30'	1.50
ES-515 End Strip 	20	4' x 14'	0.55
	25	5' x 15'	0.60
	30	5' x 15'	0.65
	35	5' x 15'	0.70
	40	5' x 15'	0.75
CS-530 Center Strip 	20	4' x 28'	1.10
	25	5' x 30'	1.20
	30	5' x 30'	1.30
	35	5' x 30'	1.40
	40	5' x 30'	1.50
SS-918 Side Strip 	20	8' x 17'	1.45
	25	9' x 18'	1.58
	30	9' x 18'	1.72
	35	9' x 18'	1.88
	40	9' x 18'	2.08