

PRESSURE REGULATING FILTER THAT SIMPLIFIES CONTROL ZONES

FEWER PARTS.
QUICKER INSTALLS.

Install Confidence. Install Rain Bird.
All-in-One Pressure Regulating Filters.

- SIMPLIFIES INSTALLATION All-in-one compact, two-piece control zone kit comes fully assembled in a space-saving bag.
- INCREASES RELIABILITY Fewer parts, fewer threaded connections mean less chance of leaking.*
- REDUCES MATERIAL AND LABOR COSTS Compact size requires fewer and smaller valve boxes for each job.

VRSTD SERIES





Pressure regulator and filter now combined in one compact unit.

RAIN BIRD COMBINES A FILTER AND PRESSURE REGULATOR INTO ONE UNIT FOR FAST AND SIMPLE INSTALLATION.

Rain Bird's new Pressure Regulating (PR) Filter Control Zone Kits come assembled and measure at least 24% shorter than the competition. Now you can fit up to four control zone kits in one standard valve box and dig fewer holes, or place one control zone kit in a 10-inch, round valve box and dig smaller ones.



Patent-pending compact unit combines filtration and pressure regulation to protect downstream drip components.



30- or 40-psi pressure regulator integrated in filter body.

Glass-filled polypropylene body and cap provide 150-psi pressure rating.

^{*} Based on vigorous cycle surge reliability testing, the Rain Bird PR Filter was proven to be ten times stronger than competitive units. Extensive thermal testing confirms these kits will not leak after being subjected to extreme temperature fluctuations.

Ask your distributor for these PR Filter Control Zone Kit Models, part of the complete RainBird® Xerigation® System—simple to use, reliable and durable low volume irrigation products.

	Models	Flow	Regulated Pressure	Filtration
PR FILTER MODELS				
	PRF-075-RBY	0.2-5.0 gpm (45,4-1136 l/h)	30 psi (2,0 bars)	200 mesh (75 micron)
	PRF-100-RBY	0.2-15.0 gpm (45,4-3407 l/h)	40 psi (2,8 bars)	200 mesh (75 micron)
PR FILTER CONTROL ZONE KIT MODELS				
	XCZ-075-PRF 3/4" low-flow valve + 3/4" pressure regulating RBY filter	0.2-5.0 gpm (45,4-1136 l/h)	30 psi (2,0 bars)	200 mesh (75 micron)
	XCZ-100-PRF 1"DV valve + 1" pressure regulating RBY filter	3.0-15.0 gpm (681-3407 l/h)	40 psi (2,8 bars)	200 mesh (75 micron)
42	XCZPGA-100-PRF 1"PGA valve + 1"Pressure Regulating RBY Filter	3.0-15.0 gpm (681-3407 l/h)	40 psi (2,8 bars)	200 mesh (75 micron)
	XCZLF-100-PRF 1" Low-flow valve + 1" Pressure Regulating RBY Filter	0.2-10.0 gpm (45,4-2,272 l/h)	40 psi (2,8 bars)	200 mesh (75 micron)



Rain Bird Corporation

6991 E. Southpoint Road Tucson, AZ 85756 Phone: (520) 741-6100 Fax: (520) 741-6522

Rain Bird Technical Services

(800) RAINBIRD (1-800-724-6247) (U.S. and Canada)

Rain Bird Corporation

970 West Sierra Madre Avenue Azusa, CA 91702 Phone: (626) 812-3400 Fax: (626) 812-3411

Specification Hotline

800-458-3005 (U.S. and Canada)

Rain Bird International, Inc.

1000 West Sierra Madre Ave. Azusa, CA 91702 Phone: (626) 963-9311 Fax: (626) 852-7343

The Intelligent Use of Water™ www.rainbird.com

[®] Registered Trademark of Rain Bird Corporation © 2017 Rain Bird Corporation 01/17